

Plant Date	Crop	Variety	hoop-house beds	DS/TP	TP per hoop bed	in row spac	Btwn Row Spac	Rows /bed	#trays rounded or oz. of seed	destination	Bed #	Note	Date Seeded	initial
1-Feb	non-brass. sm, T,Sp 1	Garrison	3	DS	n/a	1	2.5	12	0.6	H1	S 9-11	0		
1-Feb	spinach, T,Sp	Donkey	5	DS	n/a	5	6	5	4.5	H1	N7-11	Proposed varieties pending winter performance, seek approval from staff before seeding		
1-Feb	spinach, T,Sp	Regiment	5	DS	n/a	5	6	5	4.5	H1	S25-26, N12-14	0		
1-Feb	brassica sm, T,Sp 1	Mizuna	1	DS	n/a	1	2.5	12	0.7	H4	i8	0		
1-Feb	brassica sm, T,Sp 1	Red Russian Kale	1	DS	n/a	1	2.5	12	0.3	H4	g8	0		
1-Feb	brassica sm, T,Sp 1	Ruby Streaks	1	DS	n/a	1	2.5	12	0.3	H4	j8	0		
1-Feb	brassica sm, T,Sp 1	Yukina Savoy	1	DS	n/a	1	2.5	12	0.3	H4	h8	0		
1-Feb	non-brass. sm, T,Sp 1	Garrison	2	DS	n/a	1	2.5	12	0.2	H4	j1,j2	0		
1-Feb	radish, T,Sp	Amethyst	2	DS	n/a	1	5	6	0.7	H4	h3,h4	0		
1-Feb	radish, T,Sp	Celesta	2	DS	n/a	1	5	6	0.7	H4	i3,i4	0		
1-Feb	radish, T,Sp	D'avignon	2	DS	n/a	1	5	6	0.7	H4	j3,j4	0		
15-Feb	beet, T,Sp	Bulls Blood	1	DS	n/a	3	10	3	0.2	H1	S7	0		
15-Feb	beet, T,Sp	Chioggia	3	DS	n/a	3	10	3	0.7	H1	S1-3	0		
15-Feb	beet, T,Sp	Detroit Dark Red	1	DS	n/a	3	10	3	0.2	H1	S8	0		
15-Feb	beet, T,Sp	Early Wonder Tall Top	1	DS	n/a	3	10	3	0.2	H1	S4	0		
15-Feb	asian green, T,Sp 2	Joi Choi	6	TP	50	9.6	10	5	3.5	H4	C 3 - 8	0		
15-Feb	carrot, T,Sp	Napoli	6	DS	n/a	1	5	6	0.1	H4	h5-6, i5-6, j5-6	0		
15-Feb	carrot, T,Sp	Nelson	2	DS	n/a	1	5	6	0.1	H4	g7, h7	0		
15-Feb	carrot, T,Sp	YaYa	2	DS	n/a	1	5	6	0.1	H4	i7, j7	0		

Plant Date	Crop	Variety	hoop-house beds	DS/TP	TP per hoop bed	in row spac	Btwn Row Spac	Rows /bed	#trays rounded or oz. of seed	destination	Bed #	Note	Date Seeded	initial
15-Feb	kale, T,Sp	Lacinato	4	TP	24	12	18	3	1.0	H4	B 1-4	0		
15-Feb	kale, T,Sp	Redbor	3	TP	24	12	18	3	1.0	H4	C 1-2, D 1	0		
15-Feb	kale, T,Sp	Winterbor	3	TP	24	12	18	3	1.0	H4	D 2-4	0		
15-Feb	lettuce hd, T,Sp 2	Winter Density	4	TP	30	9.6	10	3	1.5	H4	a1-4	0		
15-Feb	scallions, T,Sp 1	Evergreen hardy	2	TP	768	0.5	8	4	7.5	H4	h1, h2	Plant a bunch of 4 scallions every 2"		
21-Feb	non-brass. sm, T,Sp 3	Blade	3	DS	n/a	1	2.5	12	0.6	H1	S 12-13, 24	0		
21-Feb	lettuce hd, T,Sp 3	Waldmans	4	TP	30	9.6	10	3	1.5	H4	e1-4	0		
1-Mar	chard, T,Sp	Bright Lights	10	TP	30	9.6	10	3	1.0	H4	e5-8,f5-8,g5-6	20 row->128		
1-Mar	collards, T,Sp	Champion	4	TP	24	12	18	3	1.0	H4	B 5 - 8	0		
1-Mar	lettuce hd, T,Sp 4	Nevada	4	TP	30	9.6	10	3	1.5	H4	f1-4	0		
1-Mar	lettuce hd, T,Sp 4	Red Cross	2	TP	30	9.6	10	3	1.0	H4	g1, g2	0		
1-Mar	lettuce hd, T,Sp 4	Skyphos	2	TP	30	9.6	10	3	1.0	H4	g3, g4	0		
1-Mar	turnip, T,Sp	Hakurei	4	DS	n/a	2	8	4	0.0	H4	D 5 - 8	0		
15-Mar	scallions, T,Sp 2	Evergreen hardy	2	TP	768	0.5	8	4	7.5	H4	i1, i2	Plant a bunch of 4 scallions every 2"		
15-Apr	beans, bush, T,Sp	Bronco	10	TP	48	6	10	3	14.5	H1	S 14-23	Plant in Sterile Media. Overwatering can cause rot!		
15-Apr	beans, bush, T,Sp	Jade	10	TP	48	6	10	3	10.0	H1	N 15-16, S5-6, N 1-6	Plant in Sterile Media. Overwatering can cause rot!		
15-Apr	beans, bush, T,Sp	Strike	10	TP	48	6	10	3	10.0	H1	N17-26	Plant in Sterile Media. Overwatering can cause rot!		
15-Apr	tomato, T,Sp	Big Beef	8	TP	5	19.2	30	1	0.2	H2	N/S 10-13	20 row->128->50 cell. String trellis		
15-Apr	tomato, T,Sp	Celebrity	10	TP	5	19.2	30	1	0.2	H2	N/S 22-26	20 row->128->50 cell. Basket Weave		

Plant Date	Crop	Variety	hoop-house beds	DS/TP	TP per hoop bed	in row spac	Btwn Row Spac	Rows /bed	#trays rounded or oz. of seed	destination	Bed #	Note	Date Seeded	initial
15-Apr	tomato, T,Sp	Charger	6	TP	5	19.2	30	1	0.1	H2	N/S 17-19	20 row->128->50 cell. Basket Weave		
15-Apr	tomato, T,Sp	Cherokee Purple	6	TP	5	19.2	30	1	0.1	H2	S 4-6	20 row->128->50 cell. String trellis		
15-Apr	tomato, T,Sp	Geronimo	6	TP	5	19.2	30	1	0.1	H2	N/S 7-9	20 row->128->50 cell. String trellis		
15-Apr	tomato, T,Sp	Lola	6	TP	5	19.2	30	1	0.1	H2	N/S 14-16	20 row->128->50 cell. String Trellis		
15-Apr	tomato, T,Sp	Marnero	6	TP	5	19.2	30	1	0.1	H2	N 4-6	20 row->128->50 cell. String trellis		
15-Apr	tomato, T,Sp	Valencia	6	TP	5	19.2	30	1	0.1	H2	N/S 1-3	20 row->128->50 cell. String trellis		
15-Apr	tomato, T,Sp	Valley Girl	4	TP	5	19.2	30	1	0.1	H2	N/S 20-21	20 row->128->50 cell. Basket Weave		
15-Apr	cucumber, T	Corinto	14	TP	9.6	10	36	1	3.0	H3	N 15-26	Trellis		
15-Apr	cucumber, T	Diva	14	TP	9.6	10	36	1	3.0	H3	S 15-26	Trellis		
15-Apr	peppers, sweet, T	Carmen	14	TP	12	16	18	2	0.6	H3	NS 8 -14	20 row->128->72 cell.		
15-Apr	peppers, sweet, T	Flavorburst	3	TP	12	16	18	2	0.2	H3	N 5-7	20 row->128->72 cell.		
15-Apr	peppers, sweet, T	Olympus	4	TP	12	16	18	2	0.2	H3	NS 3-4	20 row->128->72 cell.		
15-Apr	peppers, sweet, T	Red Knight	4	TP	12	16	18	2	0.2	H3	NS 1-2	20 row->128->72 cell.		
15-Apr	peppers, sweet, T	Sweet Sunrise	3	TP	12	16	18	2	0.2	H3	S 5-7	20 row->128->72 cell.		
25-Apr	lettuce hd, T,Su 1	Torretto	4	TP	50	9.6	10	5	2.5	H1	N 13-14, S25-26	0		
1-May	spinach, T,su 1	Flamingo	6	DS	n/a	5	6	5	0.1	H4	h3-4,i3-4,j3-4	0		
7-May	lettuce hd, T,Su 2	Roxy	4	TP	50	9.6	10	5	2.5	H1	S 1-4	0		
15-May	brassica sm, T,Su 1	Arugula, Astro	3	DS	n/a	1	2.5	12	0.9	H1	N 7-9	0		
15-May	brassica sm, T,Su 1	Mizuna	1	DS	n/a	1	2.5	12	0.2	H4	a1-2	0		

Plant Date	Crop	Variety	hoop-house beds	DS/TP	TP per hoop bed	in row spac	Btwn Row Spac	Rows /bed	#trays rounded or oz. of seed	destination	Bed #	Note	Date Seeded	initial
15-May	brassica sm, T,Su 1	Red Russian Kale	10	DS	n/a	1	2.5	12	0.3	H4	e1-4	0		
15-May	brassica sm, T,Su 1	Ruby Streaks Mustard	1	DS	n/a	1	2.5	12	0.3	H4	a3-4	0		
15-May	brassica sm, T,Su 1	Yukina Savoy	1	DS	n/a	1	2.5	12	0.2	H4	C3-4	0		
15-May	spinach, T,su 2	Pigeon	4	DS	n/a	5	6	5	0.1	H4	d 5-8	0		
21-May	asian green, T,Su 1	Komatsuna, Summerfest	4	TP	50	9.6	10	5	2.5	H1	S7-10	0		
21-May	salanova, T,Su 1	Green butter (GBS)	1	TP	30	9.6	10	3	0.5	H4	h7	0		
21-May	salanova, T,Su 1	Green incised (GIS)	1	TP	30	9.6	10	3	0.5	H4	j1	0		
21-May	salanova, T,Su 1	Green Oakleaf (GOS)	1	TP	30	9.6	10	3	0.5	H4	i7	0		
21-May	salanova, T,Su 1	Red butter (RBS)	1	TP	30	9.6	10	3	0.5	H4	g7	0		
21-May	salanova, T,Su 1	Red incised (RIS)	1	TP	30	9.6	10	3	0.5	H4	j2	0		
21-May	salanova, T,Su 1	Red Oakleaf (ROS)	1	TP	30	9.6	10	3	0.5	H4	j7	0		
1-Jun	brassica sm, T,Su 2	Arugula, Astro	3	DS	n/a	1	2.5	12	0.9	H1	N 10-12	0		
1-Jun	brassica sm, T,Su 2	Mizuna	2	DS	n/a	1	2.5	12	0.7	H4	f1-2	0		
1-Jun	brassica sm, T,Su 2	Red Russian Kale	2	DS	n/a	1	2.5	12	0.7	H4	f3-4	0		
1-Jun	brassica sm, T,Su 2	Ruby Streaks	2	DS	n/a	1	2.5	12	0.7	H4	g1-2	0		
1-Jun	brassica sm, T,Su 2	Yukina Savoy	2	DS	n/a	1	2.5	12	0.7	H4	g3-4	0		
1-Jun	salanova, T,Su 2	Green butter (GBS)	1	TP	30	9.6	10	3	0.5	H4	h6	0		
1-Jun	salanova, T,Su 2	Green Oakleaf (GOS)	1	TP	30	9.6	10	3	0.5	H4	j5	0		
1-Jun	salanova, T,Su 2	Green sweet crisp (GSC)	1	TP	30	9.6	10	3	0.5	H4	i5	0		

Plant Date	Crop	Variety	hoop-house beds	DS/TP	TP per hoop bed	in row spac	Btwn Row Spac	Rows /bed	#trays rounded or oz. of seed	destination	Bed #	Note	Date Seeded	initial
1-Jun	salanova, T,Su 2	Red butter (RBS)	1	TP	30	9.6	10	3	0.5	H4	h5	0		
1-Jun	salanova, T,Su 2	Red Oakleaf (ROS)	1	TP	30	9.6	10	3	0.5	H4	j6	0		
1-Jun	salanova, T,Su 2	Red sweet crisp (RSC)	1	TP	30	9.6	10	3	0.5	H4	i6	0		
1-Jun	spinach, T,su 3	Flamingo	4	DS	n/a	5	6	5	0.1	H4	g8, h8, i8, j8	0		
1-Jun	spinach, T,su 3	Pigeon	4	DS	n/a	5	6	5	0.1	H4	c5-8	0		
7-Jun	asian green, T,Su 2	Tatsoi	4	TP	50	9.6	10	5	2.5	H1	S11-13, S24	0		
21-Jun	salanova, T,Su 3	Green butter (GBS)	1	TP	30	9.6	10	3	0.5	H4	i1	0		
21-Jun	salanova, T,Su 3	Green Oakleaf (GOS)	1	TP	30	9.6	10	3	0.5	H4	h2	0		
21-Jun	salanova, T,Su 3	Red butter (RBS)	1	TP	30	9.6	10	3	0.5	H4	i2	0		
21-Jun	salanova, T,Su 3	Red Oakleaf (ROS)	1	TP	30	9.6	10	3	0.5	H4	h1	0		
21-Jun	spinach, T,su 4	Carmel	6	DS	n/a	5	6	5	0.1	H4	j1-2, g7, h7, i7, j7	0		
1-Jul	salanova, T,Su 4	Green butter (GBS)	1	TP	30	9.6	10	3	0.5	H4	i4	0		
1-Jul	salanova, T,Su 4	Green incised (GIS)	1	TP	30	9.6	10	3	0.5	H4	h4	0		
1-Jul	salanova, T,Su 4	Green Oakleaf (GOS)	1	TP	30	9.6	10	3	0.5	H4	j4	0		
1-Jul	salanova, T,Su 4	Red butter (RBS)	1	TP	30	9.6	10	3	0.5	H4	i3	0		
1-Jul	salanova, T,Su 4	Red incised (RIS)	1	TP	30	9.6	10	3	0.5	H4	h3	0		
1-Jul	salanova, T,Su 4	Red Oakleaf (ROS)	1	TP	30	9.6	10	3	0.5	H4	j3	0		
1-Jul	spinach, T,su 5	Raccoon	6	DS	n/a	5	6	5	0.1	H4	h5-6, i5-6, j5-6	0		
15-Jul	salanova, T,Su 5	Green butter (GBS)	1	TP	30	9.6	10	3	0.5	H4	d8	0		

Plant Date	Crop	Variety	hoop-house beds	DS/TP	TP per hoop bed	in row spac	Btwn Row Spac	Rows /bed	#trays rounded or oz. of seed	destination	Bed #	Note	Date Seeded	initial
15-Jul	salanova, T,Su 5	Green Oakleaf (GOS)	1	TP	30	9.6	10	3	0.5	H4	d6	0		
15-Jul	salanova, T,Su 5	Red butter (RBS)	1	TP	30	9.6	10	3	0.5	H4	d7	0		
15-Jul	salanova, T,Su 5	Red Oakleaf (ROS)	1	TP	30	9.6	10	3	0.5	H4	d5	0		
21-Jul	radish, T,Su	D'avignon	4	DS	n/a	1	5	6	0.7	H4	h1-2, i1-2	0		
15-Aug	scallions, T,Fa	Deep Purple	4	TP	768	0.5	8	4	14.5	H1	S1-4	Plant a bunch of 4 scallions every 2"		
15-Aug	scallions, T,Fa	Evergreen Hardy	4	TP	768	0.5	8	4	14.5	H1	N1-4	Plant a bunch of 4 scallions every 2"		
15-Aug	chard, T,Fa	Bright Lights	2	TP	30	9.6	10	3	0.2	H4	B 3-4	20 row->128, Lay Drip Tape at Planting		
15-Aug	kale, T,Fa	Curly Roja	4	TP	16	12	18	2	1.0	H4	j5-8	Lay Drip Tape at Planting		
15-Aug	kale, T,Fa	Dino	8	TP	16	12	18	2	1.5	H4	i1-8	Lay Drip Tape at Planting		
15-Aug	kale, T,Fa	Olympic Red	4	TP	16	12	18	2	1.0	H4	j1-4	Lay Drip Tape at Planting		
15-Aug	kale, T,Fa	Ripbor	4	TP	16	12	18	2	1.0	H4	h5-8	Lay Drip Tape at Planting		
15-Aug	kale, T,Fa	Starbor	4	TP	16	12	18	2	1.0	H4	d5-8	Lay Drip Tape at Planting		
15-Aug	kale, T,Fa	Westlander	2	TP	16	12	18	2	0.5	H4	a3-4	Lay Drip Tape at Planting		
15-Aug	kale, T,Fa	Winterbor	4	TP	16	12	18	2	1.0	H4	h1-4	Lay Drip Tape at Planting		
1-Sep	dill, T,Fa	Greensleeves	2	DS	n/a	1	2.5	12	0.5	H2	N/S 15	0		
1-Sep	parsley, T,Fa	Forest Green	3	TP	30	9.6	10	3	1.0	H2	S 1-3	drop 2 seeds in every other cell		
1-Sep	parsley, T,Fa	Giant of Italy	3	TP	30	9.6	10	3	1.0	H2	N 1-3	drop 2 seeds in every other cell		
7-Sep	asian green, T,Fa 1	Joi Choi	3	TP	30	9.6	10	3	1.0	H2	S 4-6	0		
7-Sep	cilantro, T,Fa 1	Santo	2	DS	n/a	1	2.5	12	3.2	H2	N/S 7	0		

Plant Date	Crop	Variety	hoop-house beds	DS/TP	TP per hoop bed	in row spac	Btwn Row Spac	Rows /bed	#trays rounded or oz. of seed	destination	Bed #	Note	Date Seeded	initial
7-Sep	non-brass. sm, T,Fa 1	Bulls Blood Beets	4	DS	n/a	1	2.5	12	12.3	H2	N/S 10-11	Once seeded, water deeply then do not water until seed emergece. After emergence, allow bed to dry completely before watering again.		
7-Sep	non-brass. sm, T,Fa 1	Ruby Red Chard	4	DS	n/a	1	2.5	12	12.3	H2	N/S 13-14	Once seeded, water deeply then do not water until seed emergece. After emergence, allow bed to dry completely before watering again.		
7-Sep	turnip, T,Fa	Hakurei	8	DS	n/a	2	8	4	0.8	H2	N/S 16-19	0		
7-Sep	lettuce hd, T,Fa 1	Joi Choi	6	TP	30	9.6	10	3	2.0	H3	NS 15-17	0		
15-Sep	brassica sm, T,Fa 1	Kale, Vates	3	DS	n/a	1	2.5	12	0.9	H1	S 5-7	0		
15-Sep	spinach, T,Fa	Butterflay	4	TP	50	9.6	6	5	2.5	H1	N10-11	0		
15-Sep	spinach, T,Fa	Emperor	4	TP	50	9.6	6	5	2.5	H1	S12-13	0		
15-Sep	spinach, T,Fa	Gazelle	4	TP	50	9.6	6	5	2.5	H1	S10-11	0		
15-Sep	spinach, T,Fa	Verdil	4	TP	50	9.6	6	5	2.5	H1	N12-13	0		
15-Sep	spinach, T,Fa	Winter Bloomsdale	18	TP	50	9.6	6	5	9.5	H1	N/S 18-26	0		
15-Sep	asian hd, T,Fa 2	Joi Choi	3	TP	30	9.6	10	3	1.0	H2	N 4-6	0		
15-Sep	cilantro, T,Fa 2	Santo	2	DS	n/a	1	2.5	12	3.2	H2	N/S 8	0		
15-Sep	radish, T,Fa 1	Amethyst	3	DS	n/a	1	5	6	2.0	H2	N 24-26	0		
15-Sep	radish, T,Fa 1	Celesta	4	DS	n/a	1	5	6	2.7	H2	N/S 22-23	0		
15-Sep	radish, T,Fa 1	Pink Beauty	3	DS	n/a	1	5	6	2.0	H2	S 24-26	0		
15-Sep	brassica sm, T,Fa 1	Mustard, Ruby Streaks	2	DS	n/a	1	2.5	12	1.4	H3	S6-7	0		
15-Sep	lettuce hd, T,Fa 2	Magenta	3	TP	30	9.6	10	3	1.0	H3	N 18-20	0		
15-Sep	lettuce hd, T,Fa 2	Optima	3	TP	30	9.6	10	3	1.0	H3	S 18-20	0		
15-Sep	lettuce hd, T,Fa 2	Sylvesta	4	TP	30	9.6	10	3	1.5	H3	NS 21-22	0		

Plant Date	Crop	Variety	hoop-house beds	DS/TP	TP per hoop bed	in row spac	Btwn Row Spac	Rows /bed	#trays rounded or oz. of seed	destination	Bed #	Note	Date Seeded	initial
15-Sep	brassica sm, T,Fa 1	Red Russian Kale	2	DS	n/a	1	2.5	12	0.3	H4	c7-8	0		
15-Sep	lettuce hd, T,Fa 2	Cantarix	4	TP	50	9.6	10	5	2.5	H4	F 1-4	Does it suffer from a lot of rot?		
15-Sep	lettuce hd, T,Fa 2	Cherokee	4	TP	50	9.6	10	5	2.5	H4	E 1 - 4	0		
15-Sep	lettuce hd, T,Fa 2	Concept	4	TP	50	9.6	10	5	2.5	H4	G 5- 8	0		
15-Sep	lettuce hd, T,Fa 2	Magenta	4	TP	50	9.6	10	5	2.5	H4	G 1 - 4	watch for bottom rot		
15-Sep	lettuce hd, T,Fa 2	Optima	4	TP	50	9.6	10	5	2.5	H4	E 5- 8	0		
15-Sep	lettuce hd, T,Fa 2	Waldmann's	4	TP	50	9.6	10	5	2.5	H4	F 5 - 8	0		
21-Sep	non-brass. sm, T,Fa 2	Bulls Blood Beets	2	DS	n/a	1	2.5	12	6.1	H2	N/S 9	Once seeded, water deeply then do not water until seed emergece. After emergence, allow bed to dry completely before watering again.		
21-Sep	non-brass. sm, T,Fa 2	Ruby Red Chard	2	DS	n/a	1	2.5	12	6.1	H2	N/S 12	Once seeded, water deeply then do not water until seed emergece. After emergence, allow bed to dry completely before watering again.		
21-Sep	asian green, T,Fa 3	Komatsuna Summerfest	8	TP	30	9.6	10	3	2.5	H3	NS 23 -26	0		
21-Sep	asian green, T,Fa 3	Tatsoi	10	TP	30	9.6	10	3	3.5	H3	NS 1-5	0		
21-Sep	non-brass. sm, T,Fa 2	Annapolis	2	DS	n/a	1	2.5	12	0.2	H4	b5-6	0		
21-Sep	non-brass. sm, T,Fa 2	Rouge D'hiver	2	DS	n/a	1	2.5	12	0.2	H4	b7-8	0		
28-Sep	brassica sm, T,Fa 2	Kale, Red Russian	3	DS	n/a	1	2.5	12	2.0	H1	N 5-7	0		
28-Sep	brassica sm, T,Fa 2	Red Russian kale	2	DS	n/a	1	2.5	12	0.8	H1	S 8-9	0		
28-Sep	radish, T,Fa 2	Rover	4	DS	n/a	1	5	6	2.7	H2	N/S 20-21	0		
28-Sep	brassica sm, T,Fa 2	mizuna	2	DS	n/a	1	2.5	12	0.6	H3	N 6,7	0		
28-Sep	brassica sm, T,Fa 2	Mustard, Red Giant	2	DS	n/a	1	2.5	12	1.4	H3	S11-12	0		
28-Sep	brassica sm, T,Fa 2	Red Giant Mustard	1	DS	n/a	1	2.5	12	0.4	H3	S 10	0		

Plant Date	Crop	Variety	hoop-house beds	DS/TP	TP per hoop bed	in row spac	Btwn Row Spac	Rows /bed	#trays rounded or oz. of seed	destination	Bed #	Note	Date Seeded	initial
28-Sep	brassica sm, T,Fa 2	Ruby Streaks Mustard	1	DS	n/a	1	2.5	12	0.4	H3	N 10	0		
28-Sep	brassica sm, T,Fa 2	Vivid	2	DS	n/a	1	2.5	12	0.8	H3	N 8,9	0		
28-Sep	brassica sm, T,Fa 2	Yukina Savoy	4	DS	n/a	1	2.5	12	1.5	H3	S 8, 9	0		
7-Oct	brassica sm, T,Fa 3	Red Russian kale	2	DS	n/a	1	2.5	12	0.6	H1	N8-9	0		
7-Oct	brassica sm, T,Fa 3	Mizuna	2	DS	n/a	1	2.5	12	0.8	H3	S 13,14	0		
7-Oct	brassica sm, T,Fa 3	Red Giant Mustard	1	DS	n/a	1	2.5	12	0.3	H3	N 11	0		
7-Oct	brassica sm, T,Fa 3	Ruby Streaks Mustard	1	DS	n/a	1	2.5	12	0.4	H3	N 12	0		
7-Oct	brassica sm, T,Fa 3	yukina Savoy	2	DS	n/a	1	2.5	12	0.6	H3	N 13	0		